STATE OF NEW JERSEY DEPARTMENT OF CHILDREN AND FAMILIES OFFICE OF LICENSING/ INSPECTION/VIOLATION REPORT

Center Name: CFS Head Start at Clementon					Center ID#: 04CLE0001			County: Camden	
Address: City: 195 New Freedom Road Clementon				Zip Code: Email: 08021		april.sherman@centerffs.org			
Phone: (856) 566-0552			al Inspection: 6/8/2015	Literate Status, 1		R 2/21/2017	2/21/2017		
Due Date(s):*	6/22/2015	7/27/2015 9/11/2		/2015	10/5/2015		10/22/2015	11/26/2015	
Date(s) Reinspection:	6/25/2015	8/11/2015	8/11/2015 9/21/20		10/8/2015		10/26/2015	12/11/2015	
Due Date(s):*	1/11/2016	2/25/2016	4/4/2016		4/15/2016		6/6/2016	7/7/2016	
Date(s) Reinspection:	1/25/2016	3/4/2016 pc	3/17/2016		5/4/2016		7/7/2016 p/c	7/22/2016	
Due Date(s):*	8/22/2016	9/23/2016	11/7/2016		1/5/2017		Transfer		
Date(s) Reinspection:	8/24/2016	10/7/2016	12/5/2016		1/4/2017				
Due Date(s):*									
Date(s) Reinspection:									
Due Date(s):*									
Date(s) Reinspection:									
Due Date(s):*									
Date(s) Reinspection:									
Due Date(s):*									
Date(s) Reinspection: Center is in compliance with	waquiramanta as	of: Transfer		*Reinsi	pection occ	eurs on or	soon after due de	ate	
12/11/16: Complaint #1000/Rein			eived. 3/						
Monitoring conducted on 5/4/16 p	o/c 7/7/16, email 12/3	5/16 Transferred outstar	nding violat	ions to Renew	al on 1/4/17	,			
		crease Age Change			New Sponso	or \square	Space Division	Complaint # 1000	
Date Date Cited Abated	in order to co	nspection(s) conducted by the ome into compliance with the		<u> </u>		\ //		C	
M/D/Year M/D/Yea	ar	Supervision, St	aff/Child	Ratios & Sp	асе				
	☐ out	1. Provide 2 staff to work with the children: when 6 or more children are present; on any field trip, outing, or special event away from the center regardless of transportation; or with more than 12							
		school-age children on walks.		d by a staff	off member at all times, including at off-site locations				
Notes:	\square 2. Ensure that children are supervised by a staff member at all times, including at off-site locations.								
	□ 3. D	evelop and implement a	n method	to keep trac	ck of all c	hildren, ir	ncluding at off-	site locations.	
		4. Maintain required staff to meet ratios: when children are awake; sleeping; on premises				remises			
Notes:	at	aring naptime.							
		mit group size to 12 inf	fants (und	ler 18 mont	hs), 20 ch	ildren for	early childhoo	od or 30 children for	
	☐ 6. Assign a primary caregiver for group of 4 infants and 6 toddlers.								
	☐ 7. Post the center's license in a prominent location in each building.								
	□ 8. Operate within the center's licensed capacity and within each room's capacity.								
Notes:									
	9. Identify and maintain space requirements for all rooms approved by the OOL for children's use;								
	make unapproved space inaccessible to children.								
□ 10. Ensure the children's health, safety and well-being.									
Notes:		Activi	ties & Dis	rinline					

Center ID# 04CLE0001 Page 2 of 5

		Center 1D# 1 uge 2 of 5
		☐ 11. Provide a sufficient variety of age-appropriate activities.
		☐ 12. Provide age-appropriate time frames for each activity.
		☐ 13. Provide enough supplies, furniture and equipment for the required activities.
		14. Provide daily structured and unstructured indoor and outdoor energetic physical activity that promotes coordination and movement skills: 30 minutes for children in care less than 4 hours; 60 minutes for children in care more than 4 hours. Avoid inactivity for more than 30 minutes unless eating or sleeping.
		Develop policies/plans for use of TV/computer/video by children: under 2 years; over 2 years; with special needs; in care less than 4 hours; in care more than 4 hours.
		16. Ensure use of TV/computer/video is educational/instructional and age/developmentally appropriate, and not used as a substitute for planned activities or for passive viewing.
		☐ 17. Significantly limit the use of TV/computer/video for children under the age of 2.
12/11/2015	12/11/2015	18. Use positive methods of guidance and discipline consistent with children's age and developmental needs: prohibit corporal and/or emotional punishment.
Notes:		
		19. Ensure staff do not withhold active play times as a means of discipline unless a child's actions or behavior present a danger to themselves or others.
		Nutrition & Rest
		20. Provide nutritious food and beverages that comply with the manual/CACFP standards including a variety of fruits and vegetables and a high portion of whole grains; limit foods high in solid fats, added sugar, trans fats, and sodium. (Refer to CACFP standards at (www.fus.usda.gov/cnd/care/childcare.htm)
		☐ 21. Provide cribs that meet CPSC standards and maintain documentation on file.
		 22. Provide infants/toddlers with opportunities to leave their sleeping equipment to crawl, walk and play. 23. Ensure children 12 months and younger are initially placed in a face-up sleeping position unless indicated in writing by child's health care provider.
		Administration & Parent Involvement
		24. Designate someone in the center to carry out the director's responsibilities when the director is absent.
		Program Records
		\square 25. Complete and maintain at the center the staff records checklist.
Notes:		
6/8/2015	10/26/2015	26. Ensure that Child Abuse Record Information (CARI) checks are completed as required for the sponsor/sponsor representative and all regularly scheduled staff.
6/8/2015	10/8/2015	27. Ensure that Criminal History Record Information (CHRI) checks are completed as required for the sponsor/sponsor representative and all regularly scheduled staff.
		28. Hire and submit the required documentation for the following: director; head teacher; group teacher; program supervisor.
Notes:		
6/8/2015	6/25/2015	29. Maintain record of annual staff training on use of fire alarms and emergency evacuation procedures including evacuation and lock down.
6/8/2015	6/25/2015	30. Ensure that all full-time staff complete 10 hours annual training with 2 hours in each of the following core areas: child growth and development; positive guidance and discipline; health and safety.
6/9/2015	6/25/2015	31. Ensure that the director, head teacher, group teacher and program supervisor complete 20 hours of annual training in 1 or more of the following: professional development approved by Professional Impact New Jersey of the National Child Care Association, or equivalent staff development in three or more of nine specific management areas including physical activity, special needs programming, & ADA guidelines.
		☐ 32. Ensure that 2 staff members who have current certified basic knowledge of first aid principles and CPR are at the center at all times when enrolled children are present.
		33. Review, at least annually, a list from the Consumer Product Safety Commission (CPSC) regarding unsafe products and provide staff and parents with CPSC website www.cpsc.gov/cpscpub/prerel/prerel.html

Center ID# 04CLE0001

		Sanitation & Diapering
		Wash and disinfect: toilet training chairs and potty seats after each use; diapering surfaces after each use; toys mouthed by infants and toddlers after each use; mats after each use unless stored separately; sleeping equipment weekly; sheets and blankets weekly; tables before each meal.
		35. Ensure that children wash their hands with soap and running water: before intake of food; after using the toilet; after having a diaper change; and as needed.
		36. Ensure that staff wash their hands with soap and running water: before preparing or serving food; after assisting a child in toileting; after changing diapers; after contact with body fluids or secretions; and as needed. *Health & Fire Safety*
		☐ 37. Obtain and maintain on file a current health certificate.
6/8/2015	1/25/2016	□ 38. Obtain and maintain on file a current fire certificate.
		39. Conduct and document monthly fire drills during each session provided at the center and evacuate all children within 3 minutes.
		\square 40. Ensure the center's fire protective systems are operative at all times.
		☐ 41. Develop and post prominently on every floor of the center an emergency plan including evacuation, disaster and lockdown procedures.
		☐ 42. Ensure that all exits and egress areas are unobstructed, and exit doors are easily operable.
Notes:	•	
6/8/2015	9/21/2015	
		☐ 44. Ensure that fire extinguishers are serviced and tagged annually, and recharged if necessary.
		45. Remove excess storage and/or combustibles from the furnace room.
		Bathroom & Kitchen Facilities
		☐ 46. Ensure all toxic substances and medications are inaccessible to children.
Notes:	•	
		Building Maintenance
6/8/2015	1/25/2016	☑ 47. Keep all surfaces clean and in good repair.
Notes:	1	
		☐ 48. Provide 1 of the 4 monitoring options listed in the manual.
6/8/2015	10/8/2015	
Notes:	1	
6/8/2015	5/4/2016	⊠ 50. Ensure that indoor and outdoor equipment is sturdy, safe and free of hazards.
Notes:	1	
		Outdoor Play Area, Equipment and Maintenance
		□ 51. Provide and maintain play equipment to meet public playground design standards (ASTM F-1487) as specified by the Consumer Product Safety Commission (CPSC). (Not for profits by 10/18/14)
		by the Consumer Product Safety Commission (CPSC). (Not for profits by 10/18/14) 52. Provide and maintain resilient surfacing (ASTM F-1292) and use zones under all play equipment
9/21/2015	5/4/2016	that subjects children to a fall as specified by the CPSC. 53. Take necessary action to remove outdoor hazards.
	3/4/2010	— 33. Take necessary action to remove outdoor mazards.
Notes:		

Center ID# 04CLE0001 Page 4 of 5

ALERT: Effective 8/6/14, stackable cribs are prohibited.

See attached Transportation Inspection/Violation page.

Inspector(s) Name(s)

Rebecca Ayres Emily Gear 6/25/15 LaTasha Phoenix 5/4/16

## Obste Date Inspection/Violation Report Attachment 43 6/8/2015 9/21/2015 Repair/replace the emergency lighting in the hallway by the exit door going out to the playground. Delete 47 6/8/2015 1/25/2016 Repair/replace the emergency lighting in the hallway by the exit door going out to the playground. Delete 47 6/8/2015 1/25/2016 Repair/replace resting promision to a slable surface throughout the center. Delete 47 6/8/2015 1/25/2016 Repair/replace resting uround ceiting vents in room 3. Delete 47 6/8/2015 1/25/2016 Repair/replace resting uround ceiting vents in room 3. Delete 47 6/8/2015 9/21/2015 Secure leg on the circle table in room 4. Delete 47 6/8/2015 0/21/2015 Repair/replace benefice celling tiles in the classroom and bathroom in room 1. Delete 47 6/8/2015 1/25/2016 Repair/replace celling tiles in the classroom and bathroom in room 1. Delete 47 6/8/2015 1/25/2016 Repair/replace benefice and intake vents throughout the center as needed. Delete 49 6/8/2015				Center ID# 04CLE0001 P	age 5 of 5
47 6/8/2015 1/25/2016 Repair/replace rasting plumbing under the toilets throughout the center. Delete 47 6/8/2015 1/25/2016 Secure computer monitors to a stable surface throughout the center. Delete 47 6/8/2015 1/25/2016 Repair/replace/clean stating celling tiles in room 3. Delete 47 6/8/2015 1/25/2016 Repair/replace rusting around celling tells in room 4. Delete 47 6/8/2015 6/25/2015 Clean the white computer desk in room 4. Delete 47 6/8/2015 9/21/2015 Repair/replace broken ceiling it is in the classroom and bathroom in room 1. Delete 47 6/8/2015 1/25/2016 Repair the leak in the bathroom ceiling in room 1. Delete 49 6/8/2015 1/25/2015 Repair/replace/paint wooden benches and tables on the playground. Delete 50 6/8/2015 1/24/1/2015 Repair/replace the resting fence on the playground. Delete 50 6/8/2015 1/25/2016 Repair/replace free the resense of rating gas in every room on the lowest floor used by children and post the test results in a reprominent location. Delete 50 </th <th>#</th> <th>1111</th> <th></th> <th>Inspection/Violation Report Attachment</th> <th></th>	#	1111		Inspection/Violation Report Attachment	
12/11/2015 12/2016 Secure computer monitors to a stable surface throughout the center. Delete	43	6/8/2015	9/21/2015	Repair/replace the emergency lighting in the hallway by the exit door going out to the playground.	
47 68/2015 1/25/2016 Repair/replace/clean stained ceiling tiles in room 3. Delete 47 68/2015 1/25/2016 Repair/replace rusting around ceiling tiles in room 3. Delete 47 68/2015 921/2015 Secure leg on the circle table in room 4. Delete 47 68/2015 625/2015 Clean the white computer desk in room 4. Delete 47 68/2015 1/25/2016 Repair/replace broken ceiling tiles in room 4. Delete 47 6/8/2015 1/25/2016 Repair/replace broken ceiling tiles in the classroom and bathroom in room 1. Delete 47 6/8/2015 1/25/2016 Repair/replace broken ceiling tiles in the classroom and bathroom in room 1. Delete 47 6/8/2015 1/25/2016 Repair/replace the room 2. Delete 50 6/8/2015 1/25/2016 Repair/replace the rusting fence on the playground. Delete 501 6/8/2015 5/4/2016 Repair/replace/pair wold by the cost in room 2. Delete 501 6/8/2015 6/25/2016 Test for the presence of radon gas in every room on the lowest floor used by children and post the test re	47	6/8/2015	1/25/2016	Repair/replace rusting plumbing under the toilets throughout the center.	Delete
47 682015 1252016 Repair/replace rusting around ceiling vents in room 3. Delete 47 682015 921/2015 Secure leg on the circle tuble in room 4. Delete 47 682015 6252015 Clean the white computer desk in room 4. Delete 47 682015 921/2015 Repair/replace broken ceiling it les in the classroom and bathroom in room 1. Delete 47 682015 10252016 Repair/replace broken ceiling in room 1. Delete 49 682015 1082015 Repair/replace wents and intake vents throughout the center as needed. Delete 50 682015 1082015 Repair/replace/paint wall by the cots in room 2. Delete 50 682015 12/11/2015 Repair/replace/paint wooden benches and tubles on the playground. Delete 50 682015 12/21/2016 Repair/replace plant wooden benches and tubles on the playground. Delete 50 682015 12/25/2016 Repair/replace the strating fence on the playground. Delete 50 682015 12/25/2016 Test for the presence of radon gas in every room on the lowest floor used by children a	47	6/8/2015	1/25/2016	Secure computer monitors to a stable surface throughout the center.	Delete
47 6/8/2015 9/21/2015 Secure leg on the circle table in room 4. Delete 47 6/8/2015 6/25/2015 Clean the white computer desk in room 4. Delete 47 6/8/2015 9/21/2016 Repair/replace brocken ceiling tiles in the classroom and bathroom in room 1. Delete 47 6/8/2015 1/25/2016 Repair the leak in the bathroom ceiling in room 1. Delete 49 6/8/2015 1/25/2016 Repair/replace broken ceiling in room 2. Delete 50 6/8/2015 1/26/2015 Clean the ceiling vents and intake vents throughout the center as needed. Delete 50 6/8/2015 1/27/2016 Repair/replace/paint wooden benches and tables on the playground. Delete 50 6/8/2015 1/25/2016 Repair/replace the rusting fence on the playground. Delete 500 6/8/2015 1/25/2016 Test for the presence of radon gas in every room on the lowest floor used by children and post the test results in a prominent location. Delete 501 6/8/2015 5/4/2016 Repair/replace the fence that encloses the A/C unit on the playground as the top bar is protruding. Ensure staff and children and in a baliding built in 19/80 certifier.<	47	6/8/2015	1/25/2016	Repair/replace/clean stained ceiling tiles in room 3.	Delete
47 6/8/2015 6/25/2015 Clean the white computer desk in room 4. Delete 47 6/8/2015 9/21/2015 Repair/replace broken ceiling tiles in the classroom and balbroom in room 1. Delete 47 6/8/2015 1/25/2016 Repair/replace broken ceiling tiles in the classroom and balbroom in room 1. Delete 47 6/8/2015 1/25/2016 Clean the ceiling vents and intake vents throughout the center as needed. Delete 49 6/8/2015 10/8/2015 Repair/replace/paint wooden benches and tables on the playground. Delete 50 6/8/2015 1/25/2016 Repair/replace/paint wooden benches and tables on the playground. Delete 500 6/8/2015 1/25/2016 Test for the presence of radon gas in every room on the lowest floor used by children and post the test results in a prominent location. Delete 501 6/8/2015 6/25/2015 Sepair/replace the fence that encloses the A/C units on the playground as the top bar is protruding. Ensure staff do not allow children to play in that area until the fence is fixed. Delete 53 9/21/2015 12/11/2015 Based on complaint #1000, retrain all staff on the center's policies and procedures for a) positive guidance and discipline, including the boundaries/guidance fo	47	6/8/2015	1/25/2016	Repair/replace rusting around ceiling vents in room 3.	Delete
47 6/8/2015 9/21/2015 Repair/replace broken ceiling tiles in the classroom and bathroom in room 1. Delete 47 6/8/2015 1/25/2016 Repair the leak in the bathroom ceiling in room 1. Delete 47 6/8/2015 1/25/2016 Repair/paint wall by the cost in room 2. Delete 49 6/8/2015 10/8/2015 Repair/paint wall by the cost in room 2. Delete 50 6/8/2015 12/11/2015 Repair/replace the rusting fence on the playground. Delete 500 6/8/2015 1/25/2016 Test for the presence of radon gas in every room on the lowest floor used by children and post the test results in a prominent location. Delete 501 6/8/2015 1/25/2016 Test for the presence of radon gas in every room on the lowest floor used by children and post the test results in a prominent location. Delete 501 6/8/2015 1/25/2016 Test for the presence of radon gas in every room on the lowest floor used by children and post the test results in a prominent location. Delete 501 6/8/2015 1/25/2016 Submit a SAE flowing the building the terior Certification or other approval issued by the DOH for the center as it is located in a building building the building the submit of the play pround as the top bar is protruding. Ensure stiff do not allow children to play in that area until t	47	6/8/2015	9/21/2015	Secure leg on the circle table in room 4.	Delete
A7 6/8/2015 1/25/2016 Repair the leak in the bathroom ceiling in room 1. Delete	47	6/8/2015	6/25/2015	Clean the white computer desk in room 4.	Delete
47 6/8/2015 6/25/2015 Clean the ceiling vents and intake vents throughout the center as needed. 49 6/8/2015 10/8/2015 Repair/paint wall by the cots in room 2. 50 6/8/2015 12/11/2015 Repair/replace/paint wooden benches and tables on the playground. 50 6/8/2015 5/4/2016 Repair/replace the rusting fence on the playground. 50 6/8/2015 1/25/2016 Toff the presence of radon gas in every room on the lowest floor used by children and post the test results in a prominent location. 50 6/8/2015 6/25/2015 Toff the presence of radon gas in every room on the lowest floor used by children and post the test results in a prominent location. 50 6/8/2015 6/25/2015 Safe Building Interior Certification or other approval issued by the DOH for the center as it is located in a building built in 1978 or earlier. 50 6/8/2015 5/4/2016 Repair/replace the fence that encloses the A/C units on the playground as the top bar is protruding. Ensure staff do not allow children to play in that area until the fence is fixed. 51 12/11/2015 12/11/2015 Based on complaint #1000, retrain all staff on the center's policies and procedures for a) positive guidance and discipline, including the boundaries/guidance for appropriate "play" between staff and children at all times. 50 12/11/2015 2/12/2016 e-mail 51 2/12/2016 e-mail 52 12/2016 e-mail 52 12/2016 e-mail 53 2/12/2016 e-mail 54 2/12/2016 e-mail 55 2/12/2016 e-mail 55 2/12/2016 e-mail 56 2/12/2016 e-mail 57 2/12/2016 e-mail 58 2/12/2016 e-mail 59 2/12/2016 e-mail 50	47	6/8/2015	9/21/2015	Repair/replace broken ceiling tiles in the classroom and bathroom in room 1.	Delete
49 6/8/2015 10/8/2015 Repair/paint wall by the cots in room 2. Delete 50 6/8/2015 12/11/2015 Repair/replace/paint wooden benches and tables on the playground. Delete 50 6/8/2015 5/4/2016 Repair/replace the rusting fence on the playground. 50 6/8/2015 1/25/2016 Test for the presence of radon gas in every room on the lowest floor used by children and post the test results in a prominent location. 50 8/8/2015 6/25/2015 Submit a Safe Building Interior Certification or other approval issued by the DOH for the center as it is located in a building built in 1978 or earlier. 6/8/2015 5/4/2015 5/4/2016 Repair/replace the fence that encloses the A/C units on the playground as the top bar is protruding. Ensure staff on on allow children to play in that area until the fence is fixed. 12/11/2015 12/11/2015 12/11/2015 Based on complaint #1000, erterain all staff on the center's policies and procedures for a) positive guidance and discipline, including the boundaries/guidance for appropriate and positive micractions between the staff and children and physical play with children when outside on the playground and b) dealing with children who demonstrate more difficult behaviors. Provide the OOL with a copy of the agenda or training outline and a list of staff and staff signatures who were trained. 500 12/11/2015 2/12/2016 e-mail 501 2/12/2016 e-mail 502 3/12/2016 8/24/2016 Replace all missing ceiling tiles in room 1 503 3/4/2016 8/24/2016 Replace all missing ceiling tiles in room 2 504 5/4/2016 10/7/2016 Replace light blown light bulb in room 2 505 5/4/2016 10/7/2016 Repair the side of children's hand washing sink in room 3 506 5/4/2016 10/7/2016 Repair the side of children's hand washing sink in room 3 507 5/4/2016 10/7/2016 Repair the side of children's hand washing sink in room 3 508 5/4/2016 10/7/2016 Repair the side of children's hand washing sink in room 3 509 5/4/2016 10/7/2016 Repair/replace crack floor tiles near the door in room 2 500 5/4/2016 Transfer Numerous CHRI's for staff are from closed center's	47	6/8/2015	1/25/2016	Repair the leak in the bathroom ceiling in room 1.	Delete
Solution	47	6/8/2015	6/25/2015	Clean the ceiling vents and intake vents throughout the center as needed.	Delete
Solution	49	6/8/2015	10/8/2015	Repair/paint wall by the cots in room 2.	Delete
Test for the presence of radon gas in every room on the lowest floor used by children and post the test results in a prominent location. Submit a Safe Building Interior Certification or other approval issued by the DOH for the center as it is located in a building built in 1978 or earlier. 6/25/15: DOH clearance received with expiration date of 4/5/2018. Submit a Safe Building Interior Certification or other approval issued by the DOH for the center as it is located in a building built in 1978 or earlier. 6/25/15: DOH clearance received with expiration date of 4/5/2018. Beased on complaint #1000, ensure appropriate and positive interactions between the staff and children at all times. Based on complaint #1000, retrain all staff on the center's policies and procedures for a) positive guidance and discipline, including the boundaries/guidance for appropriate "play" between staff and children and physical play with children when outside on the playground and b) dealing with children who demonstrate more difficult behaviors. Provide the OOL with a copy of the agenda or training outline and a list of staff and staff signatures who were trained. Based on complaint #1000 (intake ID# 19416488), provide the OOL with a written corrective action plan testiling all action taken to address the matter with the named staff and named child involving the staff grabbing the child's foot, causing him to fall backwards and staff involvement in playing physically with the boys on the playground. Beased on complaint #1000 (intake ID# 19416488), provide the OOL with a written corrective action plan testiling all action taken to address the matter with the named staff and named child involving the staff grabbing the child's foot, causing him to fall backwards and staff involvement in playing physically with the boys on the playground. Belete 47 5/4/2016 8/24/2016 Replace all missing ceiling tiles in room 1 Delete 47 5/4/2016 10/7/2016 Replace risk floor tiles near the door in room 2 Delete 5/4/2016 10/7/2016 Repair/replace cr	50	6/8/2015	12/11/2015	Repair/replace/paint wooden benches and tables on the playground.	Delete
a prominent location. Submit a Safe Building Interior Certification or other approval issued by the DOH for the center as it is located in a building built in 1978 or earlier. 6/25/15: DOH clearance received with expiration date of 4/5/2018. Sepair/replace the fence that encloses the A/C units on the playground as the top bar is protruding. Ensure staff do not allow children to play in that area until the fence is fixed. Based on complaint #1000, ensure appropriate and positive interactions between the staff and children at all times. Based on complaint #1000, retrain all staff on the center's policies and procedures for a) positive guidance and discipline, including the boundaries/guidance for appropriate "play" between staff and children and physical play with children when outside on the playground and b) dealing with children who demonstrate more difficult behaviors. Provide the OOL with a copy of the agenda or training outline and a list of staff and staff signatures who were trained. Based on complaint #1000 (intake ID# 19416488), provide the OOL with a written corrective action plan detailing all action taken to address the matter with the named staff and named child involving the staff grabbing the full of the contractive and the playground. Based on complaint #1000 (intake ID# 19416488), provide the OOL with a written corrective action plan detailing all action taken to address the matter with the named staff and named child involving the staff grabbing the playground. Based on complaint #1000 (intake ID# 19416488), provide the OOL with a written corrective action plan detailing all action taken to address the matter with the named staff and named child involving the staff grabbing the playground. Based on complaint #1000 (intake ID# 19416488), provide the OOL with a written corrective action plan detailing all action taken to address the matter with the named staff and named child involving the staff grabbing the playground. Based on complaint #1000 (intake ID# 19416488), provide the OOL wit	50	6/8/2015	5/4/2016	Repair/replace the rusting fence on the playground.	Delete
501 6/8/2015 6/25/2015 6/25/2015 6/25/2015 6/25/15: DOH clearance received with expiration date of 4/5/2018. Delete 6/25/15: DOH clearance received with expiration date of 4/5/2018. 53	500	6/8/2015	1/25/2016		Delete
12/11/2015 12/11/2015 12/11/2015 Based on complaint #1000, ensure appropriate and positive interactions between the staff and children at all times.	501	6/8/2015	6/25/2015	in a building built in 1978 or earlier.	Delete
times. 12/11/2015 12/11/2015 12/11/2016 12/12/20	53	9/21/2015	5/4/2016		Delete
12/11/2015 2/12/2016 e-mail discipline, including the boundaries/guidance for appropriate "play" between staff and children and physical play with children when outside on the playground and b) dealing with children who demonstrate more difficult behaviors. Provide the OOL with a copy of the agenda or training outline and a list of staff and staff signatures who were trained. 12/11/2015	18	12/11/2015	12/11/2015		Delete
50012/11/20152/12/2016 e-maildetailing all action taken to address the matter with the named staff and named child involving the staff grabbing the child's foot, causing him to fall backwards and staff involvement in playing physically with the boys on the playground.Delete475/4/20168/24/2016Replace all missing ceiling tiles in room 1Delete475/4/20168/24/2016Replace missing ceiling tiles in room 3Delete475/4/201610/7/2016Replace light blown light bulb in room 2Delete495/4/201610/7/2016Repair the side of children's hand washing sink in room 3Delete495/4/201610/7/2016Repair/replace crack floor tiles near the door in room 2Delete265/4/2016TransferNumerous CARI's for staff are from closed center's.Delete275/4/2016TransferNumerous CHRI's for staff are from closed center's.Delete	30	12/11/2015	2/12/2016 e-mail	discipline, including the boundaries/guidance for appropriate "play" between staff and children and physical play with children when outside on the playground and b) dealing with children who demonstrate more difficult behaviors. Provide the OOL with a copy of the agenda or training outline and a list of staff and staff signatures	Delete
47 5/4/2016 Replace missing ceiling tiles in room 3 Delete 47 5/4/2016 10/7/2016 Replace light blown light bulb in room 2 Delete 49 5/4/2016 10/7/2016 Repair the side of children's hand washing sink in room 3 Delete 49 5/4/2016 10/7/2016 Repair/replace crack floor tiles near the door in room 2 Delete 49 5/4/2016 Transfer Numerous CARI's for staff are from closed center's. Delete 26 5/4/2016 Transfer Numerous CHRI's for staff are from closed center's. Delete	500	12/11/2015	2/12/2016 e-mail	detailing all action taken to address the matter with the named staff and named child involving the staff grabbing the child's foot, causing him to fall backwards and staff involvement in playing physically with the boys on the	Delete
47 5/4/2016 10/7/2016 Replace light blown light bulb in room 2 Delete 49 5/4/2016 10/7/2016 Repair the side of children's hand washing sink in room 3 Delete 49 5/4/2016 10/7/2016 Repair/replace crack floor tiles near the door in room 2 Delete 26 5/4/2016 Transfer Numerous CARI's for staff are from closed center's. Delete 27 5/4/2016 Transfer Numerous CHRI's for staff are from closed center's. Delete	47	5/4/2016	8/24/2016	Replace all missing ceiling tiles in room 1	Delete
49 5/4/2016 10/7/2016 Repair the side of children's hand washing sink in room 3 Delete 49 5/4/2016 10/7/2016 Repair/replace crack floor tiles near the door in room 2 Delete 26 5/4/2016 Transfer Numerous CARI's for staff are from closed center's. Delete 27 5/4/2016 Transfer Numerous CHRI's for staff are from closed center's. Delete	47	5/4/2016	8/24/2016	Replace missing ceiling tiles in room 3	Delete
49 5/4/2016 10/7/2016 Repair/replace crack floor tiles near the door in room 2 Delete 26 5/4/2016 Transfer Numerous CARI's for staff are from closed center's. Delete 27 5/4/2016 Transfer Numerous CHRI's for staff are from closed center's. Delete	47	5/4/2016	10/7/2016	Replace light blown light bulb in room 2	Delete
26 5/4/2016 Transfer Numerous CARI's for staff are from closed center's. Delete 27 5/4/2016 Transfer Numerous CHRI's for staff are from closed center's. Delete	49	5/4/2016	10/7/2016	Repair the side of children's hand washing sink in room 3	Delete
27 5/4/2016 Transfer Numerous CHRI's for staff are from closed center's. Delete	49	5/4/2016	10/7/2016	Repair/replace crack floor tiles near the door in room 2	Delete
	26	5/4/2016	Transfer	Numerous CARI's for staff are from closed center's.	Delete
49 7/22/2016 10/7/2016 Secure hand washing sink in room 3 Delete	27	5/4/2016	Transfer	Numerous CHRI's for staff are from closed center's.	Delete
	49	7/22/2016	10/7/2016	Secure hand washing sink in room 3	Delete